	Application No.	Applicant(s)
Notice of Allowability	10/526,679	DACCORD ET AL.
	Examiner	Art Unit
	Associa M. DiTorri	0070
	Angela M. DiTrani	3676
The MAILING DATE of this communication appears All claims being allowable, PROSECUTION ON THE MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIOF the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in or other appropriate commul GHTS. This application is su	this application. If not included nication will be mailed in due course. THIS
1. This communication is responsive to <u>04/04/2007</u> .	•	
2. The allowed claim(s) is/are <u>11-19</u> .		
 3. Acknowledgment is made of a claim for foreign priority ur a) All b) Some* c) None of the: 1. Certified copies of the priority documents have 		r (f).
2. Certified copies of the priority documents have	been received in Application	n No
3. Copies of the certified copies of the priority do	cuments have been received	in this national stage application from the
International Bureau (PCT Rule 17.2(a)).		J 1.
* Certified copies not received:		
Applicant has THREE MONTHS FROM THE "MAILING DATE" noted below. Failure to timely comply will result in ABANDONM THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.	of this communication to file IENT of this application.	a reply complying with the requirements
4. A SUBSTITUTE OATH OR DECLARATION must be subm INFORMAL PATENT APPLICATION (PTO-152) which give	itted. Note the attached EXA es reason(s) why the oath or	MINER'S AMENDMENT or NOTICE OF declaration is deficient.
5. CORRECTED DRAWINGS (as "replacement sheets") mus	et be submitted.	
(a) including changes required by the Notice of Draftspers		(PTO-948) attached
1) 🔲 hereto or 2) 🔲 to Paper No./Mail Date		
(b) ☐ including changes required by the attached Examiner's Paper No./Mail Date	s Amendment / Comment or	in the Office action of
Identifying indicia such as the application number (see 37 CFR 1 each sheet. Replacement sheet(s) should be labeled as such in the	.84(c)) should be written on the he header according to 37 CFF	e drawings in the front (not the back) of R 1.121(d).
 DEPOSIT OF and/or INFORMATION about the depo- attached Examiner's comment regarding REQUIREMENT. 	sit of BIOLOGICAL MATE FOR THE DEPOSIT OF BIO	RIAL must be submitted. Note the LOGICAL MATERIAL.
Attachment(s)		
1. ☑ Notice of References Cited (PTO-892)	5. Notice of Info	ormal Patent Application
2. Notice of Draftperson's Patent Drawing Review (PTO-948)	6. 🗌 Interview Su	mmary (PTO-413),
Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date	Paper No./M 7. ☐ Examiner's A	Mail Date Amendment/Comment
4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	8. 🛛 Examiner's S	Statement of Reasons for Allowance
	9. 🗌 Other	
•		

Art Unit: 3676

REASONS FOR ALLOWANCE

1. The following is an examiner's statement of reasons for allowance:

The prior art of record along with the newly cited reference to US 2004/0247846 (Uzawa et al. herein) fails to explicitly teach or suggest the claimed limitation of providing a second fibrous component having a density close to that of the base fluid, said second fibrous component present at a concentration of less than 10% by mass of the total fibrous content of the fluid.

Uzawa et al. teaches a hydraulic cement composition that may include metallic fibers for the purpose of improvement of bending strength after hardening (see [0054]-[0058]) as well as a hydraulic cement composition that may include organic and/or carbon fibers for the purpose of improving fracture energy after hardening (see [0059]-[0062]). Uzawa et al. further teaches that the metallic fibers and the organic and/or carbon fibers can be used together (see [0063]). Example slurry 21 in Table 1 and example slurry 42 in Table 3 of Uzawa et al.'s disclosed invention each teach a cement slurry containing an equal volume percent of a mixed material of metallic fibers and a mixed material of organic fibers.

Therefore, the prior art of record along with the newly cited Uzawa et al. reference fails to teach the applicants invention as claimed, wherein the second fibrous component is present at a concentration of less than 10% by mass of the total fibrous content of the fluid.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably Art Unit: 3676

accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."


Any inquiry concerning this communication or earlier communications from the examiner should be directed to Angela M. DiTrani whose telephone number is (571) 272-2182. The examiner can normally be reached on M-F, 7:30AM-5:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Brian Glessner can be reached on (571) 272-6843. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov, Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

AD 180 05/02/2007

ZAKIYA BATES PRIMARY EXAMINER TECHNOLOGY CENTER 3600




Replacement
drowings
for entry
(130)
H | 30|07

FIGURE 1

5

5






FIGURE 2

5




FIGURE 3A




FIGURE 3B



FIGURE 4A



FIGURE 4B